

DAP AUDIO GIG-202 TAB DIGITAL MIXER

629,30 € tax included

Reference: DAGIG202TAB

DAP AUDIO GIG-202 TAB DIGITAL MIXER



The GIG-202 TAB digital mixing console is the first fully digital mixing console in the GIG range from DAP-Audio. It is a compact digital mixing console that owns all the features of the bigger digital mixers available in the market. It has 16 XLR/TRS combo inputs and 4 TRS stereo inputs, all equipped with gate, compressor and a 4-band full parametric EQ on each input channel. The 12 analogue outputs feature a compressor and individual 31-band graphical EQ. Even though this compact digital mixer has a lot of features, DAP-Audio managed to design a user interface understandable for all users with or without any experience. To achieve this DAP-Audio added dedicated direct access buttons for all important features a sound engineer needs during his performance. This helps the user to go directly to the desired function without getting lost in complex menu structures. Direct control is essential in a live situation, therefore the 100mm motorized fader is always automatically patched to the main parameter of your selected functionality. This also gives the console a an 'analogue' feel to the digital environment. The GIG-202 TAB features an 7 inch Touchscreen, 8 inserts on the first inputs, 4 dedicated AUX outputs plus 4 switchable AUX/SUB outputs, 2 built-in FX engines, 6 user definable DCA's and full internal 24-bit/48kHz sampling rate make this the most complete and interesting digital mixing console in its market segment.

Features:

- 7" Full Color LCD Touch Screen
- Easy to use software interface
- 8 direct access buttons for easy channel control
- Digital Gate/Compressor/4-band full parametric EQ on each input
- 31-band graphical EQ on each output
- 20 Analog inputs
- 8 inserts on first channels
- 10 Analog outputs
- 100mm precision motorized Fader
- 4x AUX sends (pre/post switchable per channel)
- 4x switchable AUX/Subgroups
- 2x 24-bit FX engines
- Ultra-low noise discrete preamps with +48V Phantom Power
- High-definition ADC's (114dB dynamic range)
- Integrated USB 2-track recording and playback
- 6x user definable DCA's
- Full 24-bit/48KHz sampling rate
- 2 separate volume controlled headphone outputs

Specifications

Mono channels

Mic Inputs: XLR balanced

Line Input: TRS balanced

Freq Response: 20Hz ~ 20kHz, +/- 1,5dB

Distortion (THD-N):